

TOPBMS


Official website: www.cleverbms.com ; Wechat: +8617841591535

Aliexpress website: <https://www.aliexpress.com/store/4687150>

TOPBMS

10S-24S Active Balancer with Bluetooth

Balancing Current :4000mA



Active Balancer Balancing Current:4A

TOPBMS


Official website: www.cleverbms.com ; Wechat: +8617841591535


Aliexpress website: <https://www.aliexpress.com/store/4687150>

主动均衡器Active Balancer+ 转接板Pin Board+电池组Batteries Pack

10S-24S (Downward Compaitibility)

Email: 66057580@qq.com "Wechat" +8617841591535





9:01 AM

≡

TOPBMS

:

STATUS	SETTINGS	ALARM
Cell(S)	13	Set
StartVol(V)	0.500	Set
MaxBaLCur(A)	4.000	Set
SleepVol(V)	3.000	Set
EqualizationVol(V)	4.200	Set
BatCap(Ah)	21	Set
BatType	NCM	Set
Buzzer mode	Shut	Set

14:09 54%

TOPBMS

STATUS

SETTINGS

ALARM

Battery quantity detection alarm

B1	Success	B2	Success	B3	Success
B4	Success	B5	Success	B6	Success
B7	Success	B8	Success	B9	Success
B10	Success	B11	Success	B12	Success
B13	Success	B14	Success		

line resistance detection alarm

B1	Success	B2	Success	B3	Success
B4	Success	B5	Success	B6	Success
B7	Success	B8	Success	B9	Success
B10	Success	B11	Success	B12	Success
B13	Success	B14	Success		

Temp alarm


T1Temp	Success	T2Temp	Success
--------	---------	--------	---------

Working Indication Lights of Balancer

Blue Light : when blue light keeps ON, it shows the APP is connected well to the balancer
When blue light flashes, it shows the APP is not connected to the balancer

Green Light: when green light keeps ON, it shows the balancing is completed ;
when green light flashes, it shows the balancing is processing .

Red Light: when red light keeps ON, it shows something goes wrong ;
when red light flashes, it shows the balancing fails



TOPBMS

Official website: www.cleverbms.com ; Wechat: +8617841591535

Aliexpress website: <https://www.aliexpress.com/store/4687150>

Packing (Balancer+Wires)





TOPBMS

Wiring Instruction

For Balancer and BMS working together

